

Non Delivery Report

---

**From:** Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]  
**Sent:** 9/18/2019 10:05:52 PM  
**To:** **Ex. 6 Personal Privacy (PP)**  
**Subject:** Undeliverable: EPA announcing public comment period for updated draft Underground Injection Control permits for the proposed Dewey-Burdock uranium recovery site near Edgemont, South Dakota  
**Attachments:** EPA announcing public comment period for updated draft Underground Injection Control permits for the proposed Dewey-Burdock uranium recovery site near Edgemont, South Dakota

Your message did not reach some or all of the intended recipients.

Subject: EPA announcing public comment period for updated draft Underground Injection Control permits for the proposed Dewey-Burdock uranium recovery site near Edgemont, South Dakota  
Sent: 9/18/2019 10:05:54 PM

The following recipient(s) cannot be reached:

**Ex. 6 Personal Privacy (PP)** on 9/18/2019 10:05:54 PM  
Diagnostic code = NoBilateralAgreement; Reason code = TransferFailed; Status code = 550  
<AM5EUR02FT028.mail.protection.outlook.com #5.5.0 smtp;550 5.5.0 Requested action not taken: mailbox unavailable.>

**AM5EUR02FT028.mail.protection.outlook.com rejected your message to the following email addresses:**

**Ex. 6 Personal Privacy (PP)**

A communication failure occurred during the delivery of this message. Please try to resend the message later. If the problem continues, contact your email admin.

**AM5EUR02FT028.mail.protection.outlook.com gave this error:**  
**Requested action not taken: mailbox unavailable.**

**Diagnostic information for administrators:**

Generating server: DM6PR09MB3259.namprd09.prod.outlook.com

**Ex. 6 Personal Privacy (PP)**

AM5EUR02FT028.mail.protection.outlook.com  
Remote Server returned '550 5.5.0 Requested action not taken: mailbox unavailable.'

**Original message headers:**

ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;  
b=GT3ljPaUuGUha69qEVuKWJq2gBTnlj5Cnl8xVR7ybrXiTWcaoT8e9ag7bOSnrzFkehUOlngyeaTujHZjlPQ08M  
IzHBkf2TrATc+UBpEfxfgE8Wk30P6z24O58TXaSJri5M9l0EwoBTellLzJXsuZmU0+ZvA6Ts1L63F7cuQ0z1jzityr

EucKgL37AHLuIuWLw6TMeRwEccPExzP0CPTd03dS4vD5zKnk8y7Y9WUansfWEGYCznwI+OmG5CfycN3dKd8AGTryo  
TKqTryi/PhBHS1S93IffvZAFExStSJQoE+5CybiqTK7CPYybPvzGo8Tlerf+0iGNpGnyyETRj6g5w==  
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;  
s=arcselector9901;  
h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;  
bh=l37+mU4+xU2MXO4lxoqRqIi0rV5nsuiv62JC+sKRTGM=;

b=C8b+HygKuoYKOP6Nkl58ELf4WZB78fEuGgYDFLAs46xW730r4q05/uNcJfbDr2rZGMbn3PQksOCH6COTZhj0ASR  
2uTZi74D6i4/a9SR8lz0zoQbq3iPObJk2IC1x3+frXedVvWZu/6jACyopGkEsjbOr9MaNas0+CmJ+0eGHGrjC3ZFr  
a3aqD+o7iFjZAAARxhddjNVN3ya+dV9knJGqTkpUdCJmC9P12rQxd4qz2+oK/Qziog6r5TVLgs96nR4MyVoMDPpBH  
joAeokAUkvDky08vtOheRtyllkjaz6HgMaslzG4zqvdpD6rOrQR0Pd9TlDbWl4bMdleU0YePX/s7A==  
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass  
smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass  
header.d=epa.gov; arc=none  
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;  
h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;  
bh=l37+mU4+xU2MXO4lxoqRqIi0rV5nsuiv62JC+sKRTGM=;

b=u6oGz9jXeaPGRitSNFgUESrd0WGJtzF64Mze+0ClvhtWnLRlpAqfHQL97jdMiq3hn3dNlItVO5LfnYisbftHpS1  
IOLaMjjX9nlQ6AGryvPnXABLEkLEq9V40LfwLkFDMrQJh/3HoTzi3lwXDHetRguzwH01ZqTb9g8Mso47j6NA=  
Received: from DM6PR09MB4076.namprd09.prod.outlook.com (10.141.167.74) by  
DM6PR09MB3259.namprd09.prod.outlook.com (20.178.3.147) with Microsoft SMTP  
Server (version=TLS1\_2, cipher=TLS\_ECDHE\_PSA\_WITH\_AES\_256\_GCM\_SHA384) id  
15.20.2263.26; Wed, 18 Sep 2019 22:05:47 +0000  
Received: from DM6PR09MB4076.namprd09.prod.outlook.com  
([fe80::9839:cd8:2688:2341]) by DM6PR09MB4076.namprd09.prod.outlook.com  
([fe80::9839:cd8:2688:234133]) with mapi id 15.20.2284.009; Wed, 18 Sep 2019  
22:05:47 +0000  
From: "Robinson, Valois" <Robinson.Valois@epa.gov>  
Subject: EPA announcing public comment period for updated draft Underground  
Injection Control permits for the proposed Dewey-Burdock uranium recovery  
site near Edgemont, South Dakota  
Thread-Topic: EPA announcing public comment period for updated draft  
Underground Injection Control permits for the proposed Dewey-Burdock uranium  
recovery site near Edgemont, South Dakota  
Thread-Index: AdvubPy/ReWGUTa+QHyTRvHawtsrGQ==  
Date: Wed, 18 Sep 2019 22:05:46 +0000  
Message-ID:  
<DM6PR09MB407644C5FE5EBF386E05EDA8F48E0@DM6PR09MB4076.namprd09.prod.outlook.com>  
Accept-Language: en-US  
Content-Language: en-US  
X-MS-Has-Attach: yes  
X-MS-TNEF-Correlator:  
authentication-results: spf=none (sender IP is )  
smtp.mailfrom=Robinson.Valois@epa.gov;  
x-originating-ip: [24.8.243.57]  
x-ms-publicinfecttype: Email  
x-ms-office365-filtering-correlation-id: 7280575f-8157-4290-58f5-08d73c845bd8  
x-microsoft-antispam:  
BCL:0;PCL:0;RULEID:(2390118)(7020095)(4652040)(8989299)(4534185)(4627221)(201703031133081  
) (201702281549075)(8990200)(5600167)(711020)(4605104)(1401327)(2017052603328)(49563074)(7  
193020);SRVR:DM6PR09MB3259;  
x-ms-traffictypediagnostic: DM6PR09MB3259;  
x-ms-exchange-purcount: 2  
x-microsoft-antispam-prvs:  
<DM6PR09MB32597DC5DF4CC640D24824F2F48E0@DM6PR09MB3259.namprd09.prod.outlook.com>  
x-ms-oob-tlc-oobclassifiers: OLM:7691;  
x-forefront-prvs: 01644DCF4A  
x-forefront-antispam-report:  
SFV:NSPM;SFS:(10019020)(346002)(376002)(136003)(396003)(366004)(39860400002)(189003)(1990  
04)(37874003)(102836004)(6506007)(236005)(7336002)(3846002)(54896002)(81156014)(316002)(8  
676002)(256004)(86362001)(9686003)(486006)(790700001)(15650500001)(861006)(55016002)(1445  
4004)(5024004)(8936002)(81166006)(2420400007)(66946007)(66476007)(6116002)(7416002)(73660

02) (76116006) (7406005) (74316002) (33656002) (66576008) (66556008) (64756008) (66446008) (196274  
05001) (6306002) (2906002) (7110500001) (109986005) (7276002) (606006) (733005) (478600001) (65686  
005) (66066001) (99936001) (6436002) (476003) (7736002) (14444005) (5660300002) (88732003) (257860  
09) (1671002) (186003) (99286004) (76576003) (7696005) (89122003) (881003) (71200400001) (52536014  
) (71190400001) (26005) (966005);DIR:OUT;SFP:1102;SCL:1;SRVP:DM6PR09MB3259;H:DM6PR09MB4076.n  
amprd09.prod.outlook.com;FPR:;SPF:None;LANG:en;PTR:InfoNoRecords;MX:1;A:1;  
received-spf: None (protection.outlook.com: epa.gov does not designate  
permitted sender hosts)  
x-ms-exchange-senderadcheck: 1  
x-microsoft-antispam-message-info:  
2Kn+SNzkbPNwc7elPp8QFXNr2791MsPLdOrSpclEks9pRJqifgtDwZZ7A6eBudhXWezJyuU+AKezqtsYENPzc0+St  
DpcgQPGgl7EvMbU7H9zEhb76AHg8oqn2LJ0Z710Dtd9u21UbK8t7wcl4cVch9KH5VNZP4rv7XPVWnIAws3NdfEDU5  
Hwv05Ihz98wdieIGsCqWHMwd4qYBLBiu3kYb7p4Z9/oIvYUGtSS5InUa8szglUhOQPkYP471bfdWZwClcnt5notpW  
SpaMUolPxxgvlNfLYLH2LOuSlmPG+WhKERSzuc/SfMT3yhnATWulf2L9wOfcLeLn0PJCe660GQKPiX+uE4Hm6MMHJL  
zMqg/DuD+XSWP27RtYLu0IvWtMqLCTkCFhUKrgKlWdWtTeOmLTMCFGa7EhpYov2Dh/44pSA=  
x-ms-exchange-transport-forked: True  
Content-Type: multipart/mixed;  
boundary="\_006\_DM6PR09MB407644C5FE5EBF386E05BDA8F48E0DM6PR09MB4076namp\_"  
MIME-Version: 1.0  
X-OriginatorOrg: epa.gov  
X-MS-Exchange-CrossTenant-Network-Message-Id: 7280575f-8157-4290-58f5-08d73c845bd8  
X-MS-Exchange-CrossTenant-originalarrivaltime: 18 Sep 2019 22:05:46.7231  
(UTC)  
X-MS-Exchange-CrossTenant-fromentityheader: Hosted  
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7  
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED  
X-MS-Exchange-CrossTenant-userprincipalname:  
SzxWmtZS9ndkxVQcMII+YlP05B1jM9VdvDdAe/DPeEHO/9yvjH7SfgHY427bhaqzDNVVm+nlwxLAYJqFl9iBsg==  
X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM6PR09MB3259